Dynamic Routing

Dynamic routing describes the capability of a system, through which routes are characterized by their destination, to alter the path that the route takes through the system in response to a change in conditions. The adaptation is intended to allow as many routes as possible to remain valid (that is, have destinations that can be reached) in response to the change.

This section allows user to manage all Dynamic Routing in the system.


Dynamic Routing List

By click on Route Dynamic Routing the Main window of this section will be displayed by list of all available dynamic routing.

Query Form

This form allows the user to query data as below:

Screenshot: Query Form




Is used to select the name of Dynamic Routing to query. Click on the arrow, the list of all available Dynamic Routings will be displayed. Click on the circle next to dropdown list to get latest the list of the Payment Term. Click on the query button, the result will be displayed.

Result Form

Input the name into textbox then click on the Query button, the result will appear as below:

Screenshot: Result Form




Result Form

Column Name	
Name	Name of Routing.
Usage Count	Is used to show the total of Routing Plan are using Dynamic Routing. You can see all Routing Plan by click on the number in this column.
Update At	The last date-time when the routing was updated.
Update By	The last account who update the routing.
Action	The action performed onrecord.

Button	Description
•	Is used to config QoS parameter.
Ø	Is used to set Trunk Priority.

On this page:

- Dynamic Routing List
- Creating New Dynamic Routing
- Qos Parameters
- Trunk Priority
- Override




Creating New Dynamic Routing

Click on Create New button, the new form with many fields will appear allow user to add new:

Screenshot: Creating New Dynamic Routing

Create Dynamic Routing



Routing Rule	Type of Routing Rule:				
	Largest ACD	Largest Average Call Duration. For this rule, The Trunk which have largest Average Call Duration will be given priority			
	Largest ASR	Largest Answer-Seizure Ratio. For this rule, The Trunk which have largest Answer-Seizure Ratio will be given priority			
	LCR	Least-Cost Routing. For this rule, The route which have least cost will be given priority.			
Time profile	Time profile field is used to set the range time when the route will be worked. You can config time profile under Switch -> Time Profile.				
Qos Cycle	The fourth is Qos Cycle. This field is used to set the cycle time for QoS monitor will be run.				
Add Egress	Click on Add Egress button to add more Egress Trunk. Select Carries and Trunk name from dropdown list.				
	Carriers	Name of Carriers			
	Trunk Name	Egress Trunk belong to Carrier			
	You can click on delete icon to remove Egress Trunk.				
Add All Egress	Adding all Egress Trunks automatically into Dynamic Routing.				
Delete Selected	Selecting Trunk by check on the checkbox then click on this button, all the selected trunks will be removed from Dynamic Routing.				
Delete All	Removing all Egress Trunks from Dynamic Routing.				
Carrier	The Carrier which assigned to Egress Trunk.				
Trunk Name	Name of Egress Trunk.				
Action	Is used to delete Carrier and corresponding Egress Trunk				

Finally, click on Save Icon to add new Dynamic Routing.

The new Dynamic Routing will be appeared on list. You can use Search function to filter Routing by Routing Name and Routing Rule.

Click on Plus icon to view details of Dynamic Routing.

Qos Parameters


This part is used to block the vendor that does not meet the QoS requirement. We have set the criteria then the system will check the vendor meet the requirement or not.

To input all parameters to QoS, click on loon. The new page will be appeared as below:

Screenshot: QoS Parameters

QoS Parameters





QoS Parameters

Column Name	Description
Prefix	Prefix number.
Min ASR	Minimum of Answer-Seizure Ratio.
Max ASR	Maximum of Answer-Seizure Ratio.

Min ACD	Minimum of Average Call Duration.
Max ACD	Maximum of Average Call Duration.
Max Price	Max Price.
Action	Action performed on rule.

Trunk Priority

In many cases, there are many Egress Trunks for a carrier. We can set priority for trunk. The call will preferentially go through the higher priority trunk.


Click on icon, the Trunk Priority will be appeared as below:

Screenshoot: Priority Trunk

Trunk Priority







Priority Trunk

Column Name	Description
Prefix	Filter data by Prefix number.
Egress Trunk	Filter data by trunk name.
Prefix	Prefix of Egress Trunk.
Egress Trunk	Name of Egress Trunk.
Priority	Priority of Egress Trunk.

After filling out all parameter, click on Save icon to save. If not, you can click on Delete icon to cancel and click on Back button to go back to Dynamic Routing page.

Click on Delete All button to remove all Trunks.

Click Back button to go back to Dynamic Routing page.

Override


This page is used to config percent of call over each route or vendor.

Click on , you can redirect to Override page as below:

Screenshot: Override

Override [aadynamic]





We can select egress and the maximum % of total call over them either for the code/prefix or for all the calls going through the route.

You can also filter data by some fields on this page such as Egress Trunk Name, Percentage Range.

For this rule, The Trunk which have largest Average Call Duration will be given priority

Related pages

- · Getting started
- Introduction

Popular Topics

- documentation-space-sample
- featured

Recently Updated Pages

API Documentation

Jan 29, 2020 • created by Titus B

Carrier Template

Oct 05, 2019 • updated by Anonymous • view

change

Carrier Template

Oct 05, 2019 • updated by Anonymous • view

change

Commission Report

Oct 05, 2019 • updated by Anonymous • view

change

Commission Report

Oct 05, 2019 • updated by Anonymous • view

change